Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	8901	324/201,202,220-243,260,261,262.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/02 18:12
S2	178	S1 and (coil winding inductor) same (puls$3 transient) same voltage same current same (resistance impedance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/02 18:53
S3	33	S2 and (determin$5 comput$5 measur$5 find$5 calculat$5 evaluat$5) near3 (impedance resistance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/02 21:19
S4	24382	(coil winding inductor) same (puls$3 transient) same voltage same current same (resistance impedance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/02 18:16
S5	2216	S4 and (determin$5 comput$5 measur$5 find$5 calculat$5 evaluat$5) near3 (impedance resistance) same (coil winding inductor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/02 18:57
S6	448	S1 and (coil winding inductor) same (puls$3 transient) same voltage same current	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/02 18:53
S7	53	S6 and (determin$5 comput$5 measur$5 find$5 calculat$5 evaluat$5) near3 (impedance resistance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/02 19:04
S9	188	S5 and (determin$5 comput$5 measur$5 find$5 calculat$5 evaluat$5) near3 (field flux)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/02 19:04

S11	271	(determin$5 comput$5 measur$5 find$5 calculat$5 evaluat$5) near3 (field flux) and (flux field) with current with voltage with (resistance impedance) and (determin$5 comput$5 measur$5 find$5 calculat$5 evaluat$5) near3 (resistance impedance) and (coil winding inductor) same (resistance impedance) with voltage with current	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/02 19:01
S12	121	S11 and (transient puls$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/02 19:04
S13	8901	324/201,202,220-243,260,261,262.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/02 21:19
S14	178	S13 and (coil winding inductor) same (puls$3 transient) same voltage same current same (resistance impedance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/02 21:19
S15	33	S14 and (determin$5 comput$5 measur$5 find$5 calculat$5 evaluat$5) near3 (impedance resistance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/02 21:19
S16	448	S13 and (coil winding inductor) same (puls$3 transient) same voltage same current	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/04 13:28
S17	53	S16 and (determin$5 comput$5 measur$5 find$5 calculat$5 evaluat$5) near3 (impedance resistance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/02 21:19
S18	20	S17 not S15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/02 21:37

S19	271	(determin$5 comput$5 measur$5 find$5 calculat$5 evaluat$5) near3 (field flux) and (flux field) with current with voltage with (resistance impedance) and (determin$5 comput$5 measur$5 find$5 calculat$5 evaluat$5) near3 (resistance impedance) and (coil winding inductor) same (resistance impedance) with voltage with current	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/02 21:20
S20	121	S19 and (transient puls$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/02 21:20
S21	116	S20 not S17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/03 11:12
S22	24382	(coil winding inductor) same (puls$3 transient) same voltage same current same (resistance impedance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/02 21:23
S23	2216	S22 and (determin$5 comput$5 measur$5 find$5 calculat$5 evaluat$5) near3 (impedance resistance) same (coil winding inductor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/02 21:23
S24	188	S23 and (determin$5 comput$5 measur$5 find$5 calculat$5 evaluat$5) near3 (field flux)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/02 21:23
S25	137	S24 not S20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/02 21:23
S28	8901	324/201,202,220-243,260,261,262.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/03 11:13
S29	448	S28 and (coil winding inductor) same (puls$3 transient) same voltage same current	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/04 19:51

S30	53	S29 and (determin$5 comput$5 measur$5 find$5 calculat$5 evaluat$5) near3 (impedance resistance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/03 11:13
S31	271	(determin$5 comput$5 measur$5 find$5 calculat$5 evaluat$5) near3 (field flux) and (flux field) with current with voltage with (resistance impedance) and (determin$5 comput$5 measur$5 find$5 calculat$5 evaluat$5) near3 (resistance impedance) and (coil winding inductor) same (resistance impedance) with voltage with current	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/03 11:13
S32	121	S31 and (transient puls$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/03 18:15
S33	116	S32 not S30	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/03 11:13
S34	116	S33 and (resistance impedance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/03 11:14
S37	8901	324/201,202,220-243,260,261,262.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/03 18:22
S38	448	S37 and (coil winding inductor) same (puls$3 transient) same voltage same current	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/03 18:22
S39	53	S38 and (determin$5 comput$5 measur$5 find$5 calculat$5 evaluat$5) near3 (impedance resistance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/03 18:22

S40	271	(determin$5 comput$5 measur$5 find$5 calculat$5 evaluat$5) near3 (field flux) and (flux field) with current with voltage with (resistance impedance) and (determin$5 comput$5 measur$5 find$5 calculat$5 evaluat$5) near3 (resistance impedance) and (coil winding inductor) same (resistance impedance) with voltage with current	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/03 18:22
S41	121	S40 and (transient puls$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/03 18:22
S42	24382	(coil winding inductor) same (puls$3 transient) same voltage same current same (resistance impedance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/03 18:22
S43	2216	S42 and (determin$5 comput$5 measur$5 find$5 calculat$5 evaluat$5) near3 (impedance resistance) same (coil winding inductor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/03 18:22
S44	188	S43 and (determin$5 comput$5 measur$5 find$5 calculat$5 evaluat$5) near3 (field flux)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/03 18:22
S45	137	S44 not S41	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/03 18:22
S46	128	S45 not S39	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/03 18:22
S47	2448	324/228,234,238,239.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/04 13:27
S48	1	S47 and ((coil winding inductor) and (puls$3 transient) and voltage and current and (determin$5 comput$5 measur$5 find$5 calculat$5 evaluat$5) near3 (field flux) and (determin$5 comput$5 measur$5 find$5 calculat$5 evaluat$5) near3 (resistance impedance)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/04 13:29

S49	8	S47 and ((coil winding inductor) and (puls$3 transient) and voltage and current and (flux field) and (resistance impedance)). clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/04 13:30
S50	26	("20020084777"|"20020163330"|"20020179 830"|"20040152261"|"4475083"|"4804912"| "4922197"|"5394084"|"5541777"|"5600237 "|"5729134"|"6314473"|"6657847").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/04 17:06
S51	17	US-4274052-$.DID. OR US-5015951-$. DID. OR US-5528142-$.DID. OR US-5537038-$.DID. OR US-5764052-$. DID. OR US-RE36986-$.DID. OR US-6114849-$.DID. OR US-6239596-$. DID.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/04 18:43
S52	6	S50 and (puls$3 transient)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/04 17:09
S53	3	S51 and (puls$3 transient)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/04 17:10
S58	4	MANRING-EDWARD-B.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/04 18:48
S60	23	RIX-DAVID-M.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/04 18:49
S61	39	BENSON-DONALD-J.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/04 18:46
S77	8901	324/201,202,220-243,260,261,262.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/02/04 20:19

| S78 | 448 | S77 and (coil winding inductor) same (puls$3 transient) same voltage same current | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2006/02/04 20:19 |